When 2 Plant.com's Sowing Calendar

About this calendar

These sowing guidelines are suitable for oceanic climates on the northern hemisphere. The information on this calendar is indicative. The 2nd most important thing to keep in mind when to plant are the weather forecasts given that seedlings can quickly dry out.

Visit When2Plant.com for

- Convenient wikipedia links for each crop
- Additional sowing calendars for flowers and flowerbulbs
- Ordering seeds and bulbs
- · Printing or ordering a copy of this calendar

Legend



Sowing under glass



Sowing/transplanting outside



Harvest

G = Days from sowing until germination

H = Days from sowing until harvest

L = Minimum length in row after transplanting

Vegetables

- 1. Leaf and stem crops
- 2. Tuber and root crops
- 3. Onion crops
- 4. Cabbages
- 5. Legumes
- 6. Bleached crops
- 7. Fruit crops


Follow us on facebook and twitter for monthly tips:




/When2Plant



@when2plant





| Carrot | T | | | | | | | | | | | | | | |
|--|----------|-----|-----|-----|-----|------|------|-----|------|-----|-----|-----|---------------------|------------------------|----|
| | | | | | | | | | | | | | | | |
| Winter Carrots | | | | | | | | | | | | | 15 | 240 | 8 |
| | | | | | | | | | | | | | 13 | 240 | 0 |
| Summer Carrots | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Hamburg root | - | | | | | | | | | | | | 10 | 130 | 4 |
| parsley Leek | + | | | | | | | | | | | | | | |
| Summer harvest | | | | | | | | | | | | | | | |
| Autumn harvest | | | | | | | | | | | | | 20 | 170 | 6 |
| Winter harvest | | | | | | | | | | | | | | | |
| 3. Onion crops | | | | | | | | | | | | | G | Н | L |
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Tracanions | | | | | | | | | | | | | 12 | 90 | 6 |
| Tree onions | | | | | | | | | | | | | 12 | 90 | Ь |
| | | | | | | | | | | | | | | | |
| Scallion | | | | | | | | | | | | | 16 | 100 | 6 |
| | | | | | | | | | | | | | | | |
| Garlic | | | | | | | | | | | | | 20 | 180 | 6 |
| Shallot | | | | | | | | | | | | | 10 | 130 | 4 |
| | | | | | | | | | | | | | 2- | 47- | L. |
| Welsh onion | | | | | | | | | | | | | 20 | 170 | 1 |
| Sowing onion | | | | | | | | | | | | | | | |
| Cut union 1st yr. Cut union 2ndyr. | | | | | | | | | | | | | 15 | 220 | 2 |
| Winterunions | \vdash | | | | | | | | | | | | | | |
| Pearl onion | + | | | | | | | | | | | | 15 | 220 | 2 |
| 4. Cabbages | | | | | | | | | | | | | G | Н | L |
| 4. Cabbages | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| | \vdash | | | | | | | | | | | | - | | |
| Kale | | | | | | | | | | | | | 10 | 160 | 30 |
| Cauliflower | | | | | | | | | | | | | | | |
| Early harvest | | | | | | | | | | | | | | | |
| Summer harvest | | | | | | | | | | | | | 15 | 175 | 24 |
| | | | | | | | | | | | | | | | |
| Winter harvest | | | | | | | | | | | | | | | |
| Broccoli | | | | | | | | | | | | | ļ | | |
| Summer harvest | | | | | | | | | | | | | 8 | 100 | 20 |
| Winter harvest | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1 | | |
| Napa cabbage | 1 | | | | | | | | | | | | | | ١ |
| Napa cabbage | _ | | | | | | | | | | | | 10 | 00 | 1- |
| _ | | | | | | | | | | | | | 15 | 90 | 12 |
| | | | | | | | | | | | | | 15 | 90 | 12 |
| | | | | | | | | | | | | | | 90 | |
| Romanesco | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Romanesco | | | | | | | | | | | | | 10 | 110 | 24 |
| Romanesco | | | | | | | | | | | | | 10 | 110 | 24 |
| Romanesco Kohlrabi Chinese cab- | | | | | | | | | | | | | 10 | 110 | 24 |
| Romanesco Kohlrabi Chinese cab- bage | | | | | | | | | | | | | 10 | 110 | 24 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage | | | | | | | | | | | | | 10 | 110 | 24 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest | | | | | | | | | | | | | 10 8 | 110 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest | | | | | | | | | | | | | 10 8 | 110 85 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest | | | | | | | | | | | | | 10 8 | 110 85 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage | | | | | | | | | | | | | 10 8 | 110 85 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest | | | | | | | | | | | | | 10 8 15 | 110 85 90 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest | | | | | | | | | | | | | 10 8 15 | 110 85 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Autumn harvest Autumn harvest | | | | | | | | | | | | | 10 8 15 | 110 85 90 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Autumn harvest Winter harvest | | | | | | | | | | | | | 10 8 15 | 110 85 90 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Minter harvest Savoy cabbage | | | | | | | | | | | | | 10 8 15 | 110 85 90 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Summer harvest Summer harvest Summer harvest Winter harvest Savoy cabbage Early harvest | | | | | | | | | | | | | 10 8 15 | 110 85 90 160 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Minter harvest Savoy cabbage | | | | | | | | | | | | | 10 8 15 | 110 85 90 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Minter harvest Savoy cabbage Early harvest Savoy cabbage Early harvest Summer harvest | | | | | | | | | | | | | 10 8 15 | 110 85 90 160 | 10 |
| Romanesco Kohlrabi Chinese cabbage Red Cabbage Early harvest Summer harvest Autumn harvest Cabbage Early harvest Summer harvest Winter harvest Savoy cabbage Early harvest Savoy cabbage Early harvest Summer harvest Autumn harvest Summer harvest Autumn harvest Autumn harvest | | | | | | | | | | | | | 10 8 10 15 | 110 85 90 160 | 24 |

| 5. Legumes | | | | | | | | | | | | | G | Н | L |
|--------------------------|-----|-----|-----|-----|-----|------|------|-----|------|-----|-----|-----|------|------|----|
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Asparagus pea | | | | | | | | | | | | | | | |
| Field Pea | | | | | | | | | | | | | 10 | 70 | 2 |
| Pea | | | | | | | | | | | | | 10 | 70 | 2 |
| Snow pea | | | | | | | | | | | | | 10 | 70 | 2 |
| Runner bean | | | | | | | | | | | | | | | 2 |
| Haricots verts | | | | | | | | | | | | | 14 | 70 | 4 |
| Snap beans Green bean | | | | | | | | | | | | | 14 | 70 | 4 |
| String bean | | | | | | | | | | | | | 14 | 70 | 4 |
| Pole beans | | | | | | | | | | | | | 14 | 70 | 4 |
| | | | | | | | | | | | | | 14 | 70 | 4 |
| Pole haricot | | | | | | | | | | | | | 14 | 70 | 4 |
| Broad bean | | | | | | | | | | | | | 10 | 70 | 4 |
| 6. Bleached crop | | _ | _ | _ | _ | _ | _ | _ | _ | | _ | _ | G | Н | L |
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Celery | | | | | | | | | | | | | 15 | 160 | 14 |
| Chicory | | | | | | | | | | | | | 4 | 100 | 12 |
| Radicchio | | | | | | | | | | | | | 4 | 120 | 10 |
| Winter harvest | | | | | | | | | | | | | | | |
| Chicory roots | | | | | | | | | | | | | 15 | 280 | 4 |
| 7. Fruit crops | | | | | _ | | | | | | | | G | Н | L |
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Strawberry | | | | | | | | | | | | | 20 | 170 | 14 |
| Eggplant | | | | | | | | | | | | | 40 | 90 | 31 |
| Gherkin | | | | | | | | | | | | | 10 | 90 | 6 |
| Blue huckleberry | | | | | | | | | | | | | | | |
| Wild strawberry | | | | | | | | | | | | | | | |
| Bramble | | | | | | | | | | | | | | | |
| Zucchini | | | | | | | | | | | | | 10 | 95 | 39 |
| Red raspberry | | | | | | | | | | | | | | | |
| Cucumber | | | | | | | | | | | | | 10 | 100 | 6 |
| Maize | | | | | | | | | | | | | 15 | 130 | 16 |
| Melon | | | | | | | | | | | | | 10 | 150 | 12 |
| Pumpkin | | | | | | | | | | | | | 20 | 140 | 39 |
| Black pepper | | | | | | | | | | | | | 15 | 180 | 18 |
| Sweet corn | | | | | | | | | | | | | 15 | | |
| Tomatoes | | | | | | | | | | | | | 10 | 130 | 18 |

Herbs

| <u> </u> | | | | | | | | | | | | | | | |
|----------|-----|-----|-----|-----|-----|------|------|-----|------|-----|-----|-----|------|------|----|
| Herbs | | | | | | | | | | | | | G | Н | L |
| | Jan | Feb | Mar | Apr | Мау | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Anise | | | | | | | | | | | | | 15 | 120 | 10 |
| | | | | | | | | | | | | | | | |
| Basil | | | | | | | | | | | | | 14 | 90 | 12 |
| | | | | | | | | | | | | | | | |
| Chives | | | | | | | | | | | | | 18 | 90 | 10 |
| | | | | | | | | | | | | | | | |
| Parsley | | | | | | | | | | | | | 30 | 90 | 12 |
| | | | | | | | | | | | | | | | |

| Redvein Dock | | | | | | | | | | | | | 12 | 60 | 2 |
|--------------------------|----------|-----|-----|-----|-----|------|------|-----|------|-----|-----|-----|------|--------------|----|
| Chinese chives | | | | | | | | | | | | | 18 | 150 | 10 |
| Lemon basil | | | | | | | | | | | | | 14 | 90 | 10 |
| Lemon grass | | | | | | | | | | | | | 21 | 90 | 10 |
| Lemon balm | | | | | | | | | | | | | 21 | 120 | 12 |
| Ramsons | \vdash | | | | | | | | | | | | 365 | | 4 |
| Dill | | | | | | | | | | | | | 15 | 60 | 6 |
| Mustard | | | | | | | | | | | | | 10 | 90 | 6 |
| | | | | | | | | | | | | | G | Н | L |
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Stevia | | | | | | | | | | | | | 25 | 90 | 8 |
| Chamomile | | | | | | | | | | | | | 18 | 60 | 10 |
| Chervil | | | | | | | | | | | | | 14 | 90 | 4 |
| Borage | | | | | | | | | | | | | 10 | 60 | 8 |
| Coriander | | | | | | | | | | | | | 16 | 120 | 10 |
| Spearmint | | | | | | | | | | | | | 21 | 120 | 12 |
| Garlic | | | | | | | | | | | | | | | 1 |
| Lavender | | | | | | | | | | | | | 20 | 120 | |
| Sweetscented Bedstraw | | | | | | | | | | | | | 50 | 180 | 8 |
| Lovage | | | | | | | | | | | | | 21 | 90 | 20 |
| Oregano | | | | | | | | | | | | | 15 | 130 | 10 |
| Pennyroyal | | | | | | | | | | | | | 20 | 90 | 14 |
| Tarragon | | | | | | | | | | | | | 21 | 90 | 20 |
| | | | | | | | | | | | | | G | Н | L |
| | Jan | Feb | Mar | Apr | May | June | July | Aug | Sept | Okt | Nov | Dec | Days | Days | In |
| Garden Orache | | | | | | | | | | | | | 14 | 60 | 12 |
| Rosmarin | | | | | | | | | | | | | 30 | 90 | 16 |
| Salvia | | | | | | | | | | | | | 25 | 120 | 14 |
| Chinese celery | | | | | | | | | | | | | 20 | 120 | 12 |
| Thymus | | | | | | | | | | | | | 18 | 90 | 10 |
| Sorrel | | | | | | | | | | | | | 10 | 45 | 1 |
| | | | | | | | | | | | | | | $oxed{oxed}$ | |

| Yellowcresses | | | | | | | 16 | 30 | 4 |
|---------------|--|--|--|--|--|--|----|-----------|----------------|
| | | | | | | | | | |
| Poot parcolou | | | | | | | 30 | 210 | 10 |
| Root parseley | | | | | | | 30 | 210 | 10 |
| Caucrica | | | | | | | 10 | CO | 8 |
| Savories | | | | | | | 18 | 60 | $ ^{\circ} $ |
| Rumex | | | | | | | 16 | 120 | 12 |

Companion planting

| Good combination | ons: |
|------------------|---|
| Potato | with marigolds, peas, beans, garlic, and sunflowers |
| Strawberry | with marigolds, bush beans, lettuce, spin- ach, garlic, borage |
| Endive | with fennel |
| Asparagus | with tomato, parsley and marigolds |
| Eggplant | with marjoram |
| Cauliflower | with oregano |
| Beans | with celery, sage, carrots, cauliflower, lettuce and potato |
| Beet or beetroot | with onions, bush beans, dill, celery, kohlrabi and garlic |
| Dill | with carrots, leeks, turnips, sage, fennel and celery |
| Peas | with beans, carrots, leeks, turnips, sage, fennel and celery |
| Kohlrabi | with celery |
| Cucumber | with dill, garlic, celery and fennel |
| Melon | with garlic and nasturtiums |
| Leeks | with beans, carrots, peas and turnips |
| Radish | with parsley |
| Turnips | with beans, carrots, leek and parsley |
| Celery | with leeks, cabbage, and basil |
| Lettuce | with chervil, dill, fennel, carrots, turnips and garlic |
| Spinach | with celery |
| Chili peppers | with basil, garlic and chives |
| Tomatoes | with parsley, basil, garlic chives and marigolds |
| Broad beans | with dill and savory |
| Onions | with carrots, beets, tomatoes, chamomile, savory and parsley |
| Carrots | with lettuce, peas, dill, chives and garlic |
| Bad combination | ns: |
| | with to protect and process of project the process of |

| Potatoes | with tomatoes, rosemary, mint, thyme and chamomile |
|-------------------|--|
| Strawberries | with cabbage |
| Cauliflower | after spinach |
| Beans | with fennel, onion, shallots, garlic, and gladioli |
| Peas | with onion, garlic and rue |
| Lettuce | with parsley |
| Tomato | with fennel and kohlrabi |
| Onions and garlic | with beans and cabbage |